





Load Lifter 7500 XL

ULTIMATE

Load-leveling capacity: Load-l

Solution for: Most 3/4 and 1-ton trucks

Warranty: Lifetime** | 60-day satisfaction guarantee



LoadLifter 7500 XL™ Ultimate



LoadLifter 5000™



Load**Lifter 7500** XL™ ULTIMATE

57500 Series

Leveling Loads With Less Pressure for a **Better Ride Quality**

7500 XL has 20% more volume than LoadLifter 5000™ and is now engineered with an internal jounce bumper.

LoadLifter 7500 XL Ultimate Features



OUR HIGHEST CAPACITY: With 20% more volume than LoadLifter 5000, the massive 7-inch double-convoluted-bellow air springs create a better ride than most products with similar weight ratings



Jounce bumper inside the air spring prevents bottoming out and can be safely run with zero air pressure***



Roll plates protect the air springs



Air adjustable from 5 to 100 PSI



Most kits are compatible with 5th wheel and gooseneck hitches



Most kits require no drilling into the vehicle's frame



Compatible with all Air Lift on-board compressor systems such as the WirelessAir system and WirelessOne system



For XL loads

LoadLifter 7500 XL™ Ultimate offers up to 7,500 lbs. of load-leveling capacity* and is designed to support your most demanding loads. What sets the LoadLifter 7500 XL™ Ultimate apart is that it can level the load using less pressure, providing a better ride quality. This makes it the better choice for towing and hauling the heaviest loads with the utmost



California: MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

^{*}Never exceed manufacturer's recommended Gross Vehicle Weight Rating.

 $^{{}^{\}star\star} Official \ warranty \ details \ are \ listed \ at \ www.airliftcompany.com/warranty \ and \ are \ subject \ to \ change.$

^{***}Maintain minimum air pressure for the ultimate ride comfort. Minimum of 5 PSI must be maintained when used with a control system.

Air Lift **ProSeries**

Load-leveling capacity: 5K Up to 5,000 lbs.*

Solution for: Most 1/2, 3/4 and 1-ton trucks

Warranty: Lifetime** | 60-day satisfaction guarantee

Standard Composite Endcaps



ProSeries Aluminum **Anodized Endcaps**



Air Lift ProSeries

93000 Series

Featuring Aluminum Anodized End Caps

While our standard composite endcaps provide outstanding durability, ProSeries endcaps take durability and longevity to another level, as they are precisely manufactured from a single billet of

ProSeries Features



PROSERIES EXCLUSIVE: Aluminum anodized end caps for enhanced durability and longevity



Stainless steel attaching hardware provides superior corrosion resistance



Roll plates protect the air springs



Air adjustable from 5 to 100 PSI



Most kits are compatible with 5th wheel and gooseneck hitches



Most kits require no drilling into the vehicle's frame



Compatible with all Air Lift on-board compressor systems such as the WirelessAir system and WirelessOne system



^{*}Never exceed manufacturer's recommended Gross Vehicle Weight Rating.

^{**}Official warranty details are listed at www.airliftcompany.com/warranty and are subject to change.

^{***}Maintain minimum air pressure for the ultimate ride comfort. Minimum of 5 PSI must be maintained when used with a control system

Load Lifter 5000

Load-leveling capacity: 5K Up to 5,000 lbs.*

Solution for: Most 1/2, 3/4 and 1-ton trucks

Warranty: Lifetime** | 60-day satisfaction guarantee



LoadLifter 5000™ ULTIMATE

88000 Series

The Ultimate in Ride Comfort & Safety With Internal **Jounce Bumper**



● Standard O Not available + Available as an upgrade

Air lines (2 x 5.5')

Luaul	liter 5000 Series reatures		_
	Jounce bumper inside the air spring prevents bottoming out and can be safely run with zero air pressure***	0	•
×	EXCLUSIVE: Stainless steel roll plates, air spring mounting hardware and stainless steel braided air lines (2 x 5.5')	+	+
AN	EXCLUSIVE: Military-grade AN-style fittings simply thread together for a metal-to-metal seal, ensuring an easy-to-install, leak-free system with no air line cutting required	+	+
\Box	Roll plates protect the air springs	•	•
	Air adjustable from 5 to 100 PSI	•	•
	I		



Compatible with all Air Lift on-board compressor systems such as the WirelessAir system and WirelessOne system


Stainless Steel UPGRADE KITS

Upgrade any LoadLifter 5000 series kit with durable stainless steel components



P/N 52300





^{**}Official warranty details are listed at www.airliftcompany.com/warranty and are subject to change.



Level heavy loads with safety and comfort

Air Lift ® LoadLifter 5000™ Series kits are specifically engineered for towing and hauling demanding loads. These tough, durable air springs provide up to 5,000 pounds of leveling capacity* and are fully adjustable for a stable, level and comfortable ride whether loaded or unloaded. With no-compromise construction and load-lifting capabilities, the LoadLifter 5000™ Series provides the ultimate combination of leveling ability, adjustability and ride quality.



^{***}Maintain minimum air pressure for the ultimate ride comfort. Minimum of 5 PSI must be maintained when used with a control system.

Ride**Control**

Load-leveling capacity: Load-l

Solution for: Some 1/2 ton trucks | SUVs



RideControl Features



EXCLUSIVE: Air Lift exclusive alignment tool for easy installation



Air adjustable from 5 to 100 PSI



Most kits require no drilling into the vehicle's frame



Compatible with all Air Lift on-board compressor systems such as the WirelessAir system and WirelessOne system

*Never exceed manufacturer's recommended Gross Vehicle Weight Rating.

**Official warranty details are listed at www.airliftcompany.com/warranty and are subject to change.



Air Lift **1000**

Load-leveling capacity: 1K Up to 1,000 lbs.*

Solution for: SUVs, CUVs, cars, minivans and trucks with open coils motorhomes/RVs

Warranty: Lifetime** | 60-day satisfaction guarantee

Air Lift 1000 Features

Air Lift 1000 is air adjustable from 5 to 35 PSI (90 PSI for motorhomes)

Tough molded polyurethane construction

Most kits require no drilling into the vehicle's frame

Compatible with most Air Lift on-board compressor systems such as the WirelessAir system and WirelessOne system



Air Lift 1000 HD

Load-leveling capacity: 2.1k Up to 2,100 lbs.*

Solution for: 2009-2023 RAM 1500

Warranty: Lifetime** | 60-day satisfaction guarantee

Air Lift 1000 HD Features

Air adjustable from 5 to 50 PSI

Schrader valve for secure air line connection

Tough molded polyurethane construction

Most kits require no drilling into the vehicle's frame

Compatible with most Air Lift on-board compressor systems such as the WirelessAir system and WirelessOne system

Air Lift **1000** HD™

60000HD Series

Our Highest-Rated Coil Spring Insert

A RAM 1500 Exclusive





Wireless**Air**

Solution for: Most brands of air springs Warranty: 2-year* | 4-year** | 60-day satisfaction guarantee

Control WirelessAir and WirelessAir EZ Mount with the handheld controller or free app

Google Play

Google Play





EZ Mount system



• Added convenience • Heavy-duty • Air hose makes air • Factory-assembled

readily available

wherever needed

compressor

Wireless Tank Upgrade Kit

of a 2-gallon steel

auxiliary air tank

P/N 74100

Upgrade any WirelessAir system to a Wireless Tank system!





WirelessAir Features

Compatible with all Air Lift air spring kits and most other brands

> Controller with graphical display, programmable with up to 3 user-



Free app allows for control from a compatible smartphone (iOS and Android)

defined presets

Weather-resistant and corrosionproof manifold

Dual-path control means that drivers can set the left and right air springs to different pressures — perfect for users with uneven or top-heavy loads



2-way wireless communication allows for built-in diagnostics

Automatic low-pressure monitor and air spring leak detection

Battery direct power... no need to tap into ignition source

Heavy-duty compressor

Reduces installation time by up to 1 hour

2-gallon steel auxiliary air tank and air hose make air readily available wherever needed

Black powder-coated steel mounting bracket with integrated manifold

Includes a U-bolt for an easy and drill-free attachment to the frame rail for most applications

• Standard • Not available + Available as an upgrade



Advanced Wireless Control

WirelessAir™ is a dual-path, wireless control system that includes a heavyduty compressor. Air springs are controlled with the wireless controller or with



California: AWARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Wireless**One**

Solution for: Most brands of air springs Warranty: 2-year* | 4-year** | 60-day satisfaction guarantee

Control WirelessOne and WirelessOne EZ Mount with the handheld controller or free app Scoogle Play





wherever needed

Wireless Tank Upgrade Kit

auxiliary air tank

P/N 25981

Upgrade any WirelessOne system to a Wireless Tank system!

Wireless**One**™

P/N 25980

Air up or down with

the touch of a button


Wireless**One™ +** EZ **Mount**™ P/N 25980EZ Factory-assembled mounting system for reduced install times All WirelessOne configurations include a remote air filter



WirelessOne Features

€°	Compatible with all Air Lift air spring kits and most other brands
----	--







+ EZ Mount


WirelessOne




















































• Standard • Not available + Available as an upgrade



Wireless Control

WirelessOne™ is a single-path, wireless control system with a standard-duty compressor. Air springs are controlled with the wireless controller or with a compatible smartphone. WirelessOne is also available with the EZ Mount, which upgrades to a heavy-duty compressor and allows for a cleaner and quicker installation. The WirelessOne Tank + EZ Mount includes all the benefits of the EZ Mount kit, plus an auxiliary air tank for quicker air spring inflation and a coiled air hose, making air readily available for tires, toys or wherever needed.






The handheld wireless controller with 3 user-defined presets makes it easy to level your load from inside or outside the vehicle.

Load Controller

Solution for: Most brands of air springs

Warranty: 2-year* | 60-day satisfaction guarantee




Load**Controller™ Compact**

Single-Path P/N 25854





P/N 25856


Compatible with all Air Lift air spring kits and most other brands




LoadController Features











Load**Controller™ Panel**

Single-Path P/N 25592



Deflate Both

HD LoadController P/N Standard-Duty Compact Heavy-Duty 25592 25854 25856





Universal Air Spring Cradle

For Lifted Trucks

Solution for: Most brands of air springs*

Warranty: Lifetime** | 60-day satisfaction guarantee



Universal Air Spring Cradle

P/N 52500

Allows for Full Extension of Vehicle Suspension

- Fits all Air lift LoadLifter 5000™ series air spring kits as well as many other brands*
- Mounting hardware included for all LoadLifter 5000 integrations.

Universal Air Spring Cradle Features



Allows for full extension of the vehicle's suspension



Perfect solution for lifted vehicles



Recessed mounting holes for bolt-up or bolt-down installation



Made from durable and lightweight engineered resin



Drain holes to help clear water and debris

^{*} For bellows-style air springs only. Does not fit LoadLifter 7500 XL Ultimate or sleeve-style springs such as RideControl™. **Official warranty details are listed at www.airliftcompany.com/warranty and are subject to change.





Universal Air Spring Spacer

For Lifted Trucks

Solution for: Most brands of air springs*

Warranty: Lifetime** | 60-day satisfaction guarantee



2" 4"	Straight Angled	
4"	Angled	
4"	Straight	
6"	Angled	SIB
6"	Straight	.6.
	6"	6" Angled

Universal Air Spring Spacer Features

Made with high-grade 1/4" steel

Unique spinal design makes it easy to attach air springs

All hardware included in the box for connecting to lower bracket and air spring

Works with most brands of bellows-style air springs (including Air Lift's LoadLifter 7500 XL Ultimate)

Available in 6" straight and 6" angled

Available in 4" straight and 4" angled

Available in 2" straight (2" not available in angled configuration)









Product Overview

Air Lift offers over 450 fitments. See our Application Guide, go online or give us a call to check if we fit your vehicle.

Adjustable Air Spring System Features • Standard • Not available/Not applicable + Available as an upgrade	Air Lift Pro Series	LoadLifter 7500 XL Ultimate	LoadLifter 5000 Ultimate	LoadLifter 5000	Ride Control	Air Lift 1000 HD	Air Lift 1000
PROSERIES EXCLUSIVES							
Anodized aluminum end caps for exceptional durability	•	0	0	0	0	0	0
Stainless steel attaching hardware included in the kit	•	0	0	0	0	0	0
EASE OF INSTALLATION							
Most popular kits require no drilling into the frame	•	•	•	•	•	•	•
Easy installation with illustrated installation guide	•	•	•	•	•	•	•
FUNCTIONALITY							
Internal jounce bumper prevents bottoming out	0	•	•	0	0	0	0
Air adjustable	•	•	•	•	•	•	•
Compatible with on-board air spring control systems	•	•	•	•	•	•	•
Compatible with most 5th wheel & gooseneck hitches	•	•	•	•	•	•	•
DURABILITY							
Roll plates to protect the air springs	•	•	•	•	•	0	0
Stainless steel mounting hardware	•	0	+	+	0	0	0
Stainless steel braided air line	0	0	+	+	0	0	0
Stainless steel roll plates	0	0	+	+	0	0	0
AN-style threaded air line fitting	0	0	+	+	0	0	0
Nickel-plated PTC air line fitting	0	•	•	•	•	0	0
Nylon or Poly air line	•	•	•	•	•	•	•
WARRANTY*							
Lifetime Warranty	•	•	•	•	•	•	•
60-day no questions asked guarantee	•	•	•	•	•	•	•

 $^{{}^\}star Official\ warranty\ details\ are\ listed\ at\ www.airliftcompany.com/warranty\ and\ are\ subject\ to\ change.$

On-board Compressor System Features Standard O Not available/Not applicable + Available as an upgrade	Wireless Air Tank + EZ Mount	Wireless Air + EZ Mount	Wireless Air	Wireless One Tank + EZ Mount	Wireless One + EZ Mount	Wireless One	LoadController
CONTROLLER							
Handheld wireless controller	•	•	•	•	•	•	0
Free app allows for control from a compatible smartphone	•	•	•	•	•	•	0
Analog gauges - lines to the cab	0	0	0	0	0	0	•
EASE OF INSTALLATION							
EZ Mount™ bracket provides up to 1 hour faster installation	•	•	0	•	•	0	0
Easy installation with illustrated installation guide	•	•	•	•	•	•	•
Battery direct power connection	•	•	•	•	•	•	0
Comes with everything needed for installation	•	•	•	•	•	•	•
FUNCTIONALITY							
Works with most brands of air springs	•	•	•	•	•	•	•
Auxiliary air tank and air hose with quick connect	•	+	+	•	+	+	0
2-way wireless communication and diagnostics	•	•	•	•	•	•	0
Automatic low pressure monitor and air spring leak detection	•	•	•	•	•	•	•
Standard-duty compressor - 100 PSI, 0.92 CFM, 12V	0	•	0	0	0	•	•
Heavy-duty compressor - 120 PSI, 1.03 CFM, 12V	0	•	•	0	•	0	•
Heavy-duty compressor - 150 PSI, 1.59 CFM, 12V	0	0	0	0	0	0	0
Heavy-duty compressor - 200 PSI, 1.76 CFM, 12V	•	+	+	•	+	+	0
Dual-path	•	•	•	0	0	0	•
Single-path	0	0	0	•	•	•	•
Weather-resistant and corrosion-proof components	•	•	•	•	•	•	•
WARRANTY*							
60-day no questions asked guarantee	•	•	•	•	•	•	•
2-year warranty - standard	•	•	•	•	•	•	•
4-year warranty - when installed by an Air Lift Authorized Installer	•	•	•	•	•	•	0

 $^{{}^{\}star} Official\ warranty\ details\ are\ listed\ at\ www.airliftcompany.com/warranty\ and\ are\ subject\ to\ change.$



of-the-art 3H/3P control systems, now


Visit: airliftperformance.com to build

with FLO Airride billet air tanks.

your perfect system.

ANS LNFT IPERFORMANGE

You Must Be Authorized to Receive Program Benefits



How to sign up

- Visit: dealer.airliftcompany.com/register
- 2 Click the registration button to begin.
- Review and digitally sign all applicable agreements.
- Once approved, you will receive your registration confirmation email... usually within 8-10 days. It's that easy!

Questions about registering? | Email: authorizeddealer@airliftcompany.com or call: 1.800.248.0892









Check out all the NEW Air Lift Products

Product information and photographs are accurate at the time of printing. Kit and part photographs are representative and vary according to vehicle application. Air Lift Company reserves the right to upgrade or modify content as new components become available and is not responsible for misprints.

AD-867 • 1/24 • Copyright © 2024 Air Lift Company

Customer Support:

service@airliftcompany.com 1.800.248.0892 airliftcompany.com







